Submission Procedure of Manuscripts to IMFW 2024

Step 1 (Login to EDAS)

- <u>https://edas.info/newPaper.php?c=31358</u>
- Create a new account if you don't have an EDAS account.
- If you already created EDAS account, for example if you submitted a manuscript to previous conferences that used EDAS you can login with credentials you created earlier.
- For the 3-page manuscript make sure that you use the IEEE template that can be downloaded from: <u>https://www.ieee.org/conferences/publishing/templates.ht</u> <u>ml</u>

EDAS login If you cannot remember your password, you can C reset your password. If you do not have an EDAS login, you can 2+ create a new account. If you have difficulties, please contact help@edas.info. Documentation and other background information can be found here. Your email address Password 0 Log on

Step 2 (Choose a Track)

- For general submission choose "submission to regular sessions"

- For authors who are involved in Special Sessions, they can choose the track accordingly.



IMFW 20 IEEE International Microwave Filter Workshop Feb. 21-23, 2024. Cocces Reach, Rorida, USA	Step 3 (Enter li	nformation of M	lanuscript)		
Papers »Submit	Help				
Register a paper for 2024 IEEE International Microwave Filter Workshop (IMFW): 01 - Submission to regular sessions					
🔒 Register paper	Add authors	Dpload final manuscript	Dpload review manuscript		
Manuscripts should not contain page numbers, headers or footers.					
Title of paper Test Paper	 Enter a Title 				
Keyword 1 (required) piezoelectric resonator, switched resonator, phase change ma Keyword 2 (optional)	Keywords				
Keyword 3 (optional) First Author younger than 30 years old? Paper abstract (between 20 and 250 words) j multi-layered LiTaO3/SiO2/Si stack. The resonator has a resonance frequency at 791 MHz with an electromechanical coupling coefficient of kt2=10.2% and a Q of 400. Power handling performance of the proposed switched SAW resonator is also presented. The VO2 switch does not have any significant impact on the resonator Q and its power handling capability.	↑ ← Abstract				
Topics (choose 1) 3D Printed Filters Acoustic Filters Active Filters Active Filters Integrated Filters mmW and THz Filters Non-Planar Filters Planar Filters Planar Filters Reconfigurable/Tunable Filters Substrate Integrated Waveguide Filters	Choose a topic th	e matches your manuscript			
Add yourself as author Register paper					

INFW 20 TE International MEN 20 Conserve Filter Worksho E 12 12 202 Conserve Filter Worksho E 12 12 202 Conserve Filter Worksho Men 2 Register Taxel grants My * Help Papers »Submit						
Register a paper for 2024 IEEE International Microwave Filter Workshop (IMFW): 01 - Submission to regular sessions						
\odot	The paper was recorded.					
Regis	ter paper	Add authors	Upload final manuscript	Upload review manuscript		
All authors must be added to the paper record. You can add authors, add topics or upload the manuscript.						
A confirmation email was sent to Arash Fouladi <a2foulad@uwaterloo.ca></a2foulad@uwaterloo.ca>						
Hide details Duffix Author name Author affiliation (edit for paper) Author email Email Detetee Authors Numerical State Author affiliation (edit for paper) Author affiliation (edit for paper) Author email Email Detetee Authors Numerical State Author affiliation (edit for paper) Author email Email Detetee Author affiliation (edit for paper) Author affiliation (edit for paper) Author email Email Detetee Author affiliation (edit for paper) Author affiliation (edit for paper)						
Paper title Conference	tle Paper for submission 🖄					
and track	2024 IEEE International Microwave Filter Workshop (IMFW) - UI - Submission to regular sessions . X (I/ This paper presents implementation of a switched surface acoustic wave (SAW) piezoelectric					
Keywords	s piezoelectric resonator, phase change ma 🖉					
Topics	ics Acoustic Filters 🖉 🗉					
Personal notes 🛨						
Roles	You are the creator and an author for this pape	er.				
Status Vending (nas no manuscript) Review manuscript Final manuscript Image: Status Image: Status Image: Status Image: Status Image: Status Image: Status						